

## Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
<b>Fixtures</b>			
The applicant must install showerheads with a minimum rating of 3 star (> 7.5 but <= 9 L/min) in all showers in the development.		✓	✓
The applicant must install a toilet flushing system with a minimum rating of 3 star in each toilet in the development.		✓	✓
The applicant must install taps with a minimum rating of 3 star in the kitchen in the development.		✓	
The applicant must install basin taps with a minimum rating of 3 star in each bathroom in the development.		✓	
<b>Alternative water</b>			
<b>Reticulated alternative water supply system</b>			
The applicant must make provision to connect the development to the Box Hill North (proposed) reticulated alternative water supply system. This connection must meet the requirements of all applicable regulatory authorities.		✓	✓
The applicant must make provision to connect the reticulated alternative water supply system to: <ul style="list-style-type: none"> <li>all toilets in the development</li> <li>the cold water tap that supplies each clothes washer in the development</li> <li>at least one outdoor tap in the development (Note: NSWHealth does not recommend that recycled water be used to irrigate edible plants which are consumed raw.)</li> </ul>		✓ ✓ ✓	✓ ✓ ✓